

L'Number	Hits	Search Text	DB	Time stamp
1	580	(customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:11
2	10261	"2" and (master or main) same (ID or identification or identifier) same (storage or volumn or disk or (data adj store) or database or table or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 06:59
3	128	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master or main) same (ID or identification or identifier) same (storage or volumn or disk or (data adj store) or database or table or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 06:38
4	126	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master or main) same (ID or identification or identifier) same (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and ((cross adj reference) or link\$3 or relationship or (ER or (entity adj2 relationship)) or n-n or 1-n or many-to-many or one-to-many o r1-1 or one-to-one)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 06:40
5	83	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master or main) same (ID or identification or identifier) same (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and ((cross adj reference) or link\$3 or relationship or (ER or (entity adj2 relationship)) or n-n or 1-n or many-to-many or one-to-many o r1-1 or one-to-one) same (ID or identification or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:01
6	19	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master or main) same (ID or identification or identifier) same (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and ((cross adj reference) or link\$3 or relationship or (ER or (entity adj2 relationship)) or n-n or 1-n or many-to-many or one-to-many o r1-1 or one-to-one) same (ID or identification or identifier) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:40
7	1034	((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:11
8	7	((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master near4 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) with ((customer adj (ID or identification or identifier)) or CID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:05
9	7	((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master near4 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) with ((customer adj (ID or identification or identifier)) or CID)) and ((cross adj reference) or link\$3 or relationship or 1-n or one-to-many)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:06

10	0	(((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master near4 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) with ((customer adj (ID or identification or identifier)) or CID)) and ((cross adj reference) with (customer or CID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:03
11	5	(((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master near4 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) with ((customer adj (ID or identification or identifier)) or CID)) and ((cross adj reference) or link\$3 or relationship or 1-n or one-to-many) with (customer or CID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:03
12	53	(((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master adj3 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) same (customer or CID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:47
13	3	(((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and (master adj3 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) same (customer or CID)) and ((cross adj reference) same (customer or CID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:06
14	8342	(customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:46
15	848	((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:11
16	132	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and 707/\$.ccls.) and ((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:11
17	13	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and 707/\$.ccls.) and ((customer adj (ID or identification or identifier or number or no\$1)) or CID) and (plurality or multiple or multiplic\$6) adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) and ((customer adj (ID or identification or identifier or number or no\$1)) or CID) with ((primary and foreign) adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:14
18	354	((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (master adj2 (database or (data adj base) or table or (data adj store)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:30
19	11	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (master adj2 (database or (data adj base) or table or (data adj store)))) and (master adj2 (database or (data adj base) or table or (data adj store))) with (CUSID or CID or CNO or cusno or (customer adj (id or identification or number or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:39

20	60	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (master adj2 (database or (data adj base) or table or (data adj store)))) and (((database or (data adj base) or table or (data adj store))) near9 (CUSID or CID or CNO or cusno or custno or custID or (customer adj (id or identification or number or identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:40
21	20	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (master adj2 (database or (data adj base) or table or (data adj store)))) and (((database or (data adj base) or table or (data adj store))) near9 (CUSID or CID or CNO or cusno or custno or custID or (customer adj (id or identification or number or identifier)))) and 707/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:46
22	39	((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (invoice adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:47
23	9	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (invoice adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (order adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:47
24	4	((((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (invoice adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (order adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (master adj3 (storage or volumn or disk or (data adj store) or database or table or (data adj base))) same (customer or CID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:48
25	7	(((customer adj2 (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (invoice adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (order adj (storage or volumn or disk or (data adj store) or database or table or (data adj base)))) and (invoice same order same customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:57
26	11	master adj customer adj (database or table or (data adj (store or base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 07:58

L Number	Hits	Search Text	DB	Time stamp
1	5152	customer adj (ID or identification or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 15:12
2	494	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or device or volumn or disk or drive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 15:19
3	11	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 (storage or device or volumn or disk or drive)) and (cross adj reference) near4 (id or identification or identifier or customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 15:15
4	110	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 ((storage adj device) or volumn or disk or drive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 15:20
5	14	((customer adj (ID or identification or identifier)) and (plurality or multiple or multiplic\$6) adj2 ((storage adj device) or volumn or disk or drive)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 15:20